




MOULDMILL


Frese a copiare - modulare *Threaded type milling cutters* Einschraubkugelfesenkräfer



Art. **200C**



Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen									Vite Screw Schraube	Chiave Key Schlüssel	
	D	L	L1	L2	P	D2	D1	Tc	α			
200C 08 35 12	8	92	35	-	4	6,5	12	19	9°	PR 08	CT 07	RA 08
200C 08 53 12	8	110	53	48	4	6,5	12	19	4,3°	PR 08	CT 07	RA 08
200C 08 75 12	8	132	75	70	4	6,5	12	19	2,6°	PR 08	CT 07	RA 08
200C 10 35 12	10	92	35	-	5	8	12	22	7,5°	PR 10	CT 08	RA 10
200C 10 53 12	10	110	53	48	5	8	12	22	3,2°	PR 10	CT 08	RA 10
200C 10 75 12	10	132	75	70	5	8	12	22	1,9°	PR 10	CT 08	RA 10
200C 12 85 16	12	145	85	80	6	10	16	22	2,5°	PR 12	CT 10	RA 12
200C 16 100 20	16	166	100	95	8	14	20	28	2,2°	PR 16	CT 15	RA 16
200C 20 115 25	20	191	115	110	10	17,2	25	34	2,6°	PR 20	CT 20	RA 20
200C 25 135 32	25	215	135	130	12,5	21,2	32	41	3,2°	PR 25	CT 30	RA 25




Art. **200MO**

Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen					Vite Screw Schraube	Chiave Key Schlüssel	
	D	L	D1	M	L1			
200MO-D8	8	23	6,5	M6	14,5	PR 08	CT 07	RA 08
200MO-D10	10	33	8,5	M8	17,5	PR 10	CT 08	RA 10
200MO-D12	12	33	8,5	M8	17,5	PR 12	CT 10	RA 12
200MO-D16	16	28	8,5	M8	17,5	PR 16	CT 15	RA 16
200MO-D20	20	28	10,5	M10	20	PR 20	CT 20	RA 20
200MO-D25	25	42	12,5	M12	22	PR 25	CT 30	RA 25

Frese a copiare modulare

Threaded type milling cutters

Einschraubfräser für Rund - WSP



Art. **400MO**


Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen							
	D	L	M	D1	L1	p	z	
400MO-D10-2	10	18	M6	6,5	14,5	2,5	2	RDHX 0501 MOT
400MO-D20-5	20	30	M10	10,5	20	2,5	5	RDHX 0501 MOT
400MO-D12-2	12	18	M6	6,5	14,5	3,5	2	RDHX 07T1 MOT
400MO-D15-2	15	23	M8	8,5	17,5	3,5	2	RDHX 0702 MOT
400MO-D15-3	15	23	M8	8,5	17,5	3,5	3	RDHX 0702 MOT
400MO-D20-4	20	30	M10	10,5	20	3,5	4	RDHX 0702 MOT
400MO-D25-5	25	35	M12	12,5	22	3,5	5	RDHX 0702 MOT
400MO-D30-5	30	43	M16	17	24	3,5	5	RDHX 0702 MOT
400MO-D20-2	20	30	M10	10,5	20	5	2	RDHX 1003 MOT
400MO-D25-2	25	35	M12	12,5	22	5	2	RDHX 1003 MOT
400MO-D25-3	25	35	M12	12,5	22	5	3	RDHX 1003 MOT
400MO-D30-4	30	43	M16	17	24	5	4	RDHX 1003 MOT
400MO-D35-4	35	43	M16	17	24	5	4	RDHX 1003 MOT
400MO-D42-5	42	43	M16	17	24	5	5	RDHX 1003 MOT
400MO-D24-2	24	35	M12	12,5	22	6	2	RDHX 12T3 MOT
400MO-D35-3	35	43	M16	17	24	6	3	RDHX 12T3 MOT
400MO-D42-4	42	43	M16	17	24	6	4	RDHX 12T3 MOT
400MO-D32-2	32	43	M16	17	24	8	2	RDHX 1604 MOT

Codice d'ordine	 Vite Screw Schraube	 Staffa Clamp Spannklaue		 Chiave Key Schlüssel
400MO-D10-2	VT 18	-	-	BT 06
400MO-D20-5	VT 18	-	-	BT 06
400MO-D12-2	VT 2530	-	-	BT 07
400MO-D15-2	VT 2530	-	-	BT 07
400MO-D15-3	VT 2530	-	-	BT 07
400MO-D20-4	VT 2530	-	-	BT 07
400MO-D25-5	VT 2530	-	-	BT 07
400MO-D30-5	VT 2530	-	-	BT 07
400MO-D20-2	VT 35	-	-	BT 15
400MO-D25-2	VT 35	-	-	BT 15
400MO-D25-3	VT 35	-	-	BT 15
400MO-D30-4	VT 35	-	-	BT 15
400MO-D35-4	VT 35	-	-	BT 15
400MO-D42-5	VT 35	-	-	BT 15
400MO-D24-2	VT 35	-	CVB 35	BT 15
400MO-D35-3	VT 35	-	CVB 35	BT 15
400MO-D42-4	VT 35	-	CVB 35	BT 15
400MO-D32-2	VT 45	CVB 45	-	BT 20


Frese per spallamenti - modulare

Threaded shoulder milling cutters


Einschraubfräser für eck - WSP




Art. **730MO**

Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen									
	D	d	L	D1	M	z	L1			
730MO-D32-3	32	17	46	17	M16	3	24	APHT1604 APHX1604 APKT1604	VT 40	BT 15
730MO-D40-4	40	17	46	17	M16	4	24			


Art. **740MO**

Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen									
	D	d	L	D1	M	z	L1			
740MO-D10-1	10	10	20	6,5	M6	1	14,5	APHT1003 APHX1003 APKT1003	VT 25	BT 08
740MO-D12-1	12	10	20	6,5	M6	1	14,5			
740MO-D16-2	16	10	25	8,5	M8	2	17,5			
740MO-D20-3	20	10	30	10,5	M10	3	20			
740MO-D25-3	25	10	35	12,5	M12	3	22			
740MO-D25-4	25	10	35	12,5	M12	4	22			
740MO-D32-5	32	10	43	17	M16	5	24			



Art. **MXP**

NOVITA'
NEU
NEW

Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen										
	D	d	L	D1	M	z	L1				
MXP 20-2-05	20	10	30	10,6	10	2	20	WPMW 05...	VT 35 MXP		BT 15
MXP 25-3-05	25	12	35	12,5	12	3	22				
MXP 25-2-06	25	12	35	12,5	12	2	22	WPMW 06...	VT 40 MXP	CVB MXP	
MXP 32-3-06	32	17	43	17	16	3	24				
MXP 42-4-06	42	17	43	17	16	4	24				

Adattatore in acciaio

Steel adaptors

Stahlverlängerungen



Art. **PC**



Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen				
	D	M	L	L1	D1
PC12 060 M6	12	M6	115	60	10
PC12 080 M6	12	M6	135	80	10
PC12 100 M6	12	M6	155	100	10
PC16 080 M8	16	M8	135	80	13
PC16 100 M8	16	M8	155	100	13
PC16 120 M8	16	M8	175	120	13
PC20 100 M10	20	M10	160	100	18
PC20 140 M10	20	M10	200	140	18
PC25 100 M12	25	M12	165	100	21
PC25 150 M12	25	M12	215	150	21
PC32 100 M16	32	M16	170	100	29
PC32 150 M16	32	M16	220	150	29


Adattatore in metallo pesante

Densimet adaptors

Schwermetallverlängerungen



Art. **PCMD**




Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen				
	D	M	L	L1	D1
PCMD12 060 M6	12	M6	115	60	10
PCMD12 080 M6	12	M6	135	80	10
PCMD16 080 M8	16	M8	140	80	13
PCMD16 120 M8	16	M8	180	120	13
PCMD20 080 M10	20	M10	140	80	18
PCMD20 120 M10	20	M10	180	120	18
PCMD25 100 M12	25	M12	170	100	21
PCMD25 140 M12	25	M12	210	140	21

Frese a copiare

Copy milling cutters with shank
Schafffräser für Rund - WSP



Art. **400C**



Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen							
	D	L1	D1	Tc	L	p	z	
400C 12 16 040	12	40	16	20	140	3,5	2	RDHX 07T1 MOT
400C 12 16 060	12	60	16	20	160	3,5	2	RDHX 07T1 MOT
400C 12 16 080	12	80	16	20	180	3,5	2	RDHX 07T1 MOT
400C 15 16 040	15	40	16	40	140	3,5	2	RDHX 0702 MOT
400C 15 16 060	15	60	16	40	160	3,5	2	RDHX 0702 MOT
400C 15 20 080	15	80	20	40	180	3,5	2	RDHX 0702 MOT
400C 15 20 100	15	100	20	40	200	3,5	2	RDHX 0702 MOT
400C 15 25 120	15	120	25	40	220	3,5	2	RDHX 0702 MOT
400C 20 20 040	20	40	20	40	140	5	2	RDHX 1003 MOT
400C 20 20 060	20	60	20	60	160	5	2	RDHX 1003 MOT
400C 20 25 080	20	80	25	60	180	5	2	RDHX 1003 MOT
400C 20 25 100	20	100	25	60	200	5	2	RDHX 1003 MOT
400C 20 25 120	20	120	25	60	220	5	2	RDHX 1003 MOT
400C 25 25 100	25	100	25	80	200	6	2	RDHX 12T3 MOT
400C 25 25 120	25	120	25	80	220	6	2	RDHX 12T3 MOT
400C 25 25 150	25	150	25	80	250	6	2	RDHX 12T3 MOT
400C 25 32 110	25	110	32	80	210	6	2	RDHX 12T3 MOT
400C 25 32 130	25	130	32	80	230	6	2	RDHX 12T3 MOT
400C 25 32 160	25	160	32	80	260	6	2	RDHX 12T3 MOT

Codice d'ordine Order No. Bestell-Nr.	Vite Screw Schraube	Staffa Clamp Spannklaue	Chiave Key Schlüssel
400C 12 16 040	VT 2530	-	BT 07
400C 12 16 060	VT 2530	-	BT 07
400C 12 16 080	VT 2530	-	BT 07
400C 15 16 040	VT 2530	-	BT 07
400C 15 16 060	VT 2530	-	BT 07
400C 15 20 080	VT 2530	-	BT 07
400C 15 20 100	VT 2530	-	BT 07
400C 15 25 120	VT 2530	-	BT 07
400C 20 20 040	VT 35	-	BT 15
400C 20 20 060	VT 35	-	BT 15
400C 20 25 080	VT 35	-	BT 15
400C 20 25 100	VT 35	-	BT 15
400C 20 25 120	VT 35	-	BT 15
400C 25 25 100	VT 35	CVB 35	BT 15
400C 25 25 120	VT 35	CVB 35	BT 15
400C 25 25 150	VT 35	CVB 35	BT 15
400C 25 32 110	VT 35	CVB 35	BT 15
400C 25 32 130	VT 35	CVB 35	BT 15
400C 25 32 160	VT 35	CVB 35	BT 15



Frese a copiare

Shell copy milling cutters

Aufsteckfräser für Rund - WSP



Art. **400M**



Codice d'ordine Order No. Bestell-Nr.	(mm) Dimensioni - Dimension - Abmessungen									
	D	d	d1	e	a	b	H	p	z	
400M-042-10	42	16	-	22	10,4	6,3	44	5	6	RDHX 1003 MOT
400M-052-12	52	22	-	22	10,4	6,3	50	6	5	RDHX 12T3 MOT
400M-052-16	52	22	-	22	10,4	6,3	50	8	4	RDHX 1604 MOT
400M-066-12	66	27	-	28	12,4	7	50	6	6	RDHX 12T3 MOT
400M-066-16	66	27	-	28	12,4	7	50	8	5	RDHX 1604 MOT
400M-080-12	80	27	-	28	12,4	7	50	6	7	RDHX 12T3 MOT
400M-080-16	80	27	-	28	12,4	7	50	8	6	RDHX 1604 MOT
400M-100-16	100	32	-	31	14,4	8	55	8	7	RDHX 1604 MOT
400M-125-16	125	40	-	41	16,4	9	55	8	8	RDHX 1604 MOT
400M-160-16	160	40	66,7	41	16,4	9	55	8	9	RDHX 1604 MOT

Codice d'ordine Order No. Bestell-Nr.	Vite Screw Schraube	Staffa Clamp Spannklaue	Chiave Key Schlüssel
400M-042-10	VT 35	-	CT 15
400M-052-12	VT 35	-	CT 15
400M-052-16	VT 45	CVB 45	CT 20
400M-066-12	VT 35	-	CT 15
400M-066-16	VT 45	CVB 45	CT 20
400M-080-12	VT 35	-	CT 15
400M-080-16	VT 45	CVB 45	CT 20
400M-100-16	VT 45	CVB 45	CT 20
400M-125-16	VT 45	CVB 45	CT 20
400M-160-16	VT 45	CVB 45	CT 20

